

P34A Series Parts List

Note: The P34A package ammonia machine began production in 1974. The original control panel utilized Allen-Bradley NEMA components. The control panel was changed to Allen Bradley I.E.C. Components for units built after 1999, the replacements listed below will utilize those Allen Bradley I.E.C. Components.

Control Panel Components (Allen-Bradley I.E.C. since 1999)

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A2117C03	1	FREEZER PRESSURE SWITCH, ASCO PG16A "2PS"
12A2117T03	1	TRANSDUCER, ASCO RANGE 6-60 PSI Use with Asco Freezer Pressure Switch #12A2117C03
12A2117F07	1	CONDENSER FAN CONTROL SWITCH
12A2590G12	1	GAGE, 4 1/2" DIAMETER, 30"-150# 1/4" BC, AMMONIA Suction Pressure Gage
12A2590G13	1	GAGE, 4 1/2" DIAMETER, 30"-300# 1/4" BC, AMMONIA Discharge Pressure Gage
12A2117D01	1	HI/LOW PRESSURE SWITCH
12A7500E60	1	A/B SELECTOR SWITCH, 2 POSITION "1SS" Hand/Auto Switch
12A7500E74	1	CONTACT BLOCK/MOUNTING LATCH, 1-NO, 1-NC Contact Block for 12A7500E60 Selector Switch
12A7500E57	1	A/B PUSH BUTTON SWITCH (RED) "1PB" Stop Push-Button Switch
12A7500E76	1	CONTACT BLOCK/MOUNTING LATCH, 1-NC Used with 12A7500E57
12A7500E56	1	A/B PUSH BUTTON SWITCH (GREEN) "2PB" Start Push-Button Switch
12A7500E75	1	CONTACT BLOCK/MOUNTING LATCH, 1-NO Used with 12A7500E56
12A7500E58	1	A/B PUSH BUTTON SWITCH (WHITE) "3PB" Manual Harvest Switch
12A7500E75	1	CONTACT BLOCK/MOUNTING LATCH, 1-NO Used with 12A7500E58
12A7500E78W	1	WHITE LED LIGHT MODULE/MOUNTING LATCH "2LT" Liquid Feed
12A7500E78R	1	RED LED LIGHT MODULE/MOUNTING LATCH "3LT" Thawing
12A7520E35	3	BULB #755, A/B 2TL5/2TL7 PILOT LIGHT, 6.3V
12A7503E22	2	THAW TIMER, 8 PIN PLUG-IN, 100-240V., 50/60HZ "2TR" or "DT" (Compressor Unloader)
12A7503E39	2	TIMER BASE, 8 PIN, GUARDED TERMINAL

P34A Series Parts List

Control Panel Components (Allen-Bradley I.E.C. since 1999) (Con'd)

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12B7503E21	1	ELAPSED TIME INDICATOR, 220V, 60HZ, DIN RAIL MOUNT
12B7503E20	1	ELAPSED TIME INDICATOR, 220V, 50HZ, DIN RAIL MOUNT
12A7517E27	1	RELAY, AB, 10A, 2-NO/2-NC, 208/240 "1CR" Relay (Replaces 12A7517E02-700N200A2)
12A7517E28	2	A/B RELAY, 10A, 3-NO/1-NC, 208/240 "CR" Relay
12A7503E38	1	A/B TIMER, PNEUMATIC, ON-DELAY FOR 700-CF RELAY Time Delay for Cutter Motor on "1CR" Relay
12A7516E23	1	A/B CONTACTOR, 9-AMP, 3-POLE, 208/240V W/1-NO AUX "2M" Water Pump or "3M" Cutter Motor (9-amp Max)
12A7516E24	1	A/B CONTACTOR, 12-AMP, 3 POLE, 208/240V W/1-NO AUX "2M" Water Pump or "3M" Cutter Motor (12-amp Max)
12A7516E25	1	A/B CONTACTOR, 16-AMP, 3-POLE, 208/240V W/1-NO AUX "2M" Water Pump or "3M" Cutter Motor (16-amp Max)

Control Panel Components (Allen-Bradley I.E.C.)

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A7530E54UL	1	MANUAL MOTOR STARTER, 1.6-2.5A
12A7530E55UL	1	MANUAL MOTOR STARTER, 2.5-4.0A
12A7530E56UL	1	MANUAL MOTOR STARTER, 4.0-6.3A
12A7530E57UL	1	MANUAL MOTOR STARTER, 6.3-10.0 AMP
12A7530E58UL	1	MANUAL MOTOR STARTER, 10.0-16.0 AMP
12A7530E59UL	1	MANUAL MOTOR STARTER, 18.0-25.
12A7518E33UL	2	AUX. CONTACT, 6A, 1 NO TRIP, 1 NC TRIP Auxillary for Water Pump and Cutter Motor Starter
12A7519E31		TRANSFORMER, HEVI-DUTY 1KVA 240/480-120/240 60HZ
12A7519E24		TRANSFORMER, HEVI-DUTY, 1KVA, 380/400/50 HZ,
12A7515E22S	1	CIRCUIT BREAKER, 6A, 2 POLE, 4 "CB4" Control Circuit

Soft Start - Compressor Motor Starters

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
19T7530AS460125	1	MOTOR STARTER, 460-3-60, SOFT START 460V, 60HZ, 125HP Softstart 230V Controls
19T7530AS461251	1	MOTOR STARTER, 460-3-60, SOFT START 460V, 60HZ, 125HP Softstart 120V Controls

P34A Series Parts List

Soft Start - Compressor Motor Starters Components

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A7800S24	1	SOFT START CONTROLLER, 201A, 460V, 60HZ, 120V & 230V Controls
12A7517E28	2	A/B RELAY, 10A, 3-NO/1-NC, 208/240 460V, 60HZ, 230V Controls
12A7517E33	2	RELAY, 10A,3 NO/1 NC, 120V 460V, 60HZ, 120V Controls
12A7518E30	1	A/B AUX. CONTACT, 3A, 1 NO/1 NC, (SIDE MOUNT) 120V & 230V Controls
027000601	1	FAN, 4" , 230V, 230 V Controls
027000600	1	FAN, 4", AXIAL, 115V, NMB# 471 120V Controls
12A7515E08	1	CIRCUIT BREAKER, 15 AMP. WESTINGHOUSE 120V & 230V Controls
12A7500E78R	1	RED LED LIGHT MODULE/MOUNTING LATCH 120V & 230V Controls

Freezer Components

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A2600G1	1	FREEZER COVER GASKET 37" OD x 33" ID x 3/16"
12B2145C07	1	P34 POLYCARBONATE FREEZER COVER W/4" VENT HOLE (Requires the valve and pipe listed below when replacing stainless, galvanized or polycarbonate cover with 2-1/2" hole)
12A4200B1008	1	VALVE, AIR ADMITTANCE, 4" MAXI-VENT
19T3049P0401	1	PIPE, 4" STD. WT. PVC 8" LG. (DRILLED)
19T4001S0916	4	P34 FREEZER COVER RETAINING RINGS
12A2240H4109	16	NUT, WING, BRASS, 3/8"-16NC
12A2250A12	16	WASHER, CUT 3/8" x 1" O.D. SS
12B2185V12	564	1" VENT TUBE WATER DISTRIBUTOR, 16GA WHITE
12B2185V22	420	1-1/4" VENT TUBE WATER DISTRIBUTOR, 16GA WHITE
12B2185V32	306	1-1/2" VENT TUBE WATER DISTRIBUTOR, 16GA WHITE
12B2185V42	228	1-3/4" VENT TUBE WATER DISTRIBUTOR, 16GA WHITE
12A4009R01		PLUG, RUBBER 7/8" OD X 2" LG FOR 1" TUBES Requires 3/8" Bolt, Nut & Washers
12A4009R02		PLUG, RUBBER 1"OD X 2 1/2"LG FOR 1-1/4" TUBES Requires 3/8" Bolt, Nut & Washers
12A4009R03		PLUG, RUBBER 1 1/4"OD X 2 1/2" FOR 1-1/2" TUBES Requires 3/8" Bolt, Nut & Washers
12A4009R03		PLUG, RUBBER 1 1/4"OD X 2 1/2" FOR 1-1/2" TUBES Requires 3/8" Bolt, Nut & Washers

P34A Series Parts List

Freezer Components (Con'd)

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A2215H1119	1	CAP SCREW, 3/8"-16NC X 3" LONG
12A2240A1109	1	NUT, HEX 3/8"-16NC S.S.
12A2250A12	2	WASHER, CUT 3/8" x 1" O.D. SS <i>(Use this washer for 1" tubes)</i>
12A2250A109	2	WASHER, CUT 3/8" x 7/8" O.D. SS <i>(Use this washer for 1 1/4" & 1 1/2" tubes)</i>
12A7500E22	1	FLOAT SWITCH, HANSON #HLL (DIFFERENTIAL SET @ 1/2") <i>Replaces Alco FS1A or RS Type LL</i>
12A7500E24	1	SWITCH ASSEMBLY #HLL-SW FOR HANSON <i>Also can be used on RS Type LL</i>
12A7509E17		HEATER, HANSEN #HTR2 FOR 12A7500E22 FLOAT SWITCH <i>Optional - Heater for Refrigerant Float Switch Assembly</i>
12A2600F01	2	FLANGE GASKET FOR 3/4" & 1" 2-BOLT FLANGE
12A2625G03	1	GAGE GLASS 1/2" X 28-1/8" LONG <i>For Use with Hand Wheel Gage Cock Valves</i>
12A2625G11	1	GAGE GLASS, 1/2" X 28 3/8" LONG <i>For Use with Service Wrench Gage Cock Valves</i>
12A2625G05	1	GAGE GLASS 1/2" X 29" LONG <i>For Custom Application (Cut to Fit)</i>
19T2635G06	1	GAGE GLASS GUARD SET, 27 1/4" <i>For Use with Service Wrench Gage Cock Valves</i>
12A2635G06	1	GAGE GLASS GUARD 60" LENGTH <i>For Custom Application (Cut to Fit)</i>
12A4199V26	2	GAGE GLASS PACKING O-RING FOR 1/2" DIAMETER
12A4200J0405	1	UPPER GAGE COCK VALVE, STEEL <i>Replaced Hand Wheel Valve - May 1999</i>
12A4200J0406	1	LOWER GAGE COCK VALVE, STEEL <i>Replaced Hand Wheel Valve - May 1999</i>
12A3050C0301	2	PIPE NIPPLE, 1/2" X 1-1/2" LONG
Note: Serial number of unit required for purchase of relief valves. Relief valve setting must not exceed the design pressure of the vessel.		
12A4200L0409	2	RELIEF VALVE SET @ 275#, 1/2" MPT x 1" FPT
12A4200M0402	1	3-WAY VALVE 1/2" NPT

P34A Series Parts List

Cutter Drive

Note: The cutters on the original P34 units were nickel plated carbon steel with a galvanic tank. In 1977 the entire water tank and cutter was changed to stainless steel. Reliance gearmotors were used until a design change in 1998 to the separate Grove reducer and U.S. M

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A2900M0803	1	GEARMOTOR, GROVE 15:1, 2HP, 230-460V-3P-50/60HZ
		<i>For Units Built After 1998 if replacing Reliance Motor with Dodge Gear Reducer the kit below will be required</i>
19T2165K3400	1	GEARMOTOR REPLACEMENT KIT, RELIANCE TO GROVE-P34 <i>(Grove Gearmotor, Mounting Plate, Spit Taper Bushing)</i>
12A2900M0805	1	MOTOR, 2 HP, FOR GROVE GEARMOTOR 12A2900M0803
12A4030R11	1	REDUCER, GROVE 15:1 FOR GEARMOTOR 12A2900M0803
12A4080S18	1	SEAL KIT FOR GROVE REDUCER 12A4030R11 <i>Includes Input & Output Seal</i>
12A4080S11	1	SEAL, KIT #07901938AE FOR RELIANCE 2HP GEARMOTOR
12B2615D05	1	P34 DRIVE GEAR , ALUMINUM / BRONZE 12" PD, 96 TEETH <i>Replaces Cast Iron Gear</i>
12B2060B01	1	DRIVE GEAR HUB, STAINLESS STEEL 1-1/8" BORE <i>Used with Reliance gearmotors</i>
12B2060B02	1	DRIVE GEAR HUB, STAINLESS STEEL 1-1/4" BORE <i>Used with Grove gearmotors</i>
12A2215G111	3	CAP SCREW, 5/16"-18NC X 1" SS HEX HEAD
12A2250B108	3	WASHER, LOCK 5/16" SS (300 SERIES)
19T2615R04	1	P34 FINISHED RING GEAR
12A3040S05	8	ROLL PIN, 1/4" X 3/4" STAINLESS STEEL

Cutter Internals

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
19T2035B02	2	CUTTER BLADE, P34, 15" LONG
19T2010A13	2	P34 ADAPTOR PLATE
19T4130T09	8	SPACER, 1/2" X 15/16" LONG
12A2226H1117	8	MACHINE SCREW, FLAT HEAD SS, 3/8"-16NC x 2-1/2" LG <i>For Adaptor Plates</i>
12A2240A1309	8	NUT, HEX 3/8"-16NC S.S.
19T2025B0106	1	BEARING BRACKET ASSEMBLY FOR P34
19T2163D0403	1	TINES DISC - P34 CYLINDER ICE
19T4130C02	1	P24/34 TINES DISC HUB SPACER
19T4090S03	1	P24/34 CUTTER SHAFT
19T4065R01	1	P24/34 CUTTER RETAINING SPACER
19T2165K2434	1	P24/P34 CUTTER REPAIR KIT <i>Kit Contains Items for Cutter Maintenance and Rebuild</i>

P34A Series Parts List

Water Tank/Circulating Water

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
19T2165C0306	1	S.S. CUTTER/TANK ASSEMBLY FOR P34 <i>Includes complete cutter assembly and drive train, water tank tines disc, & bearing support. Does not include water pump or internal water piping (specify tube size when ordering)</i>
12A2600G11	1	WATER TANK GASKET,40"OD x 37"ID x 3/16"
12A4200H0603	1	FLOAT VALVE, 1-1/2" ROBERTS LEAD FREE BRASS <i>Current Valve used on Water Tanks with 1 1/2" Connection</i>
12A3050S0701		PIPE NIPPLE 1 1/2" ALL THREAD
12A4200HP05	1	VALVES, STEM, FOR ROBERTS,
12A4200HP05A		VALVES, STEM ADAPTER FOR WATER FLOAT VALVE
12A4200HP04	1	FLOAT BALL, FOR ROBERTS 1 1/2" FLOAT VALVE
12A4200H0606	1	VALVE, FLOAT, ROBERTS 3/4" MPT, LEAD FREE BRASS <i>Used on Water Tanks from 1994 to 2004 W/3/4" Connection</i>
12A4200HP01	1	STEM FOR ROBERTS FLOAT, 10" LG x 1/4-20 THREAD BRASS
12A4200HP02	1	FLOAT FOR ROBERTS, 4" CYL x 6" LG W/1/4-20 THREAD
12A4200H0801	1	FLOAT VALVE, HUDSON 1" FPT
12A4200A0607LF	1	VALVE, WATER, 3/4", LEAD FREE, GRANZOW, LESS COIL
12A2105C42K	1	ASSEMBLY, COIL, 230/240V GRANZOW
12A2105C41K	1	ASSEMBLY, COIL, 110/120V GRANZOW
126223	1	COIL FOR SPORLAN SOLENOID, 230V/60HZ
12A2105C06	1	COIL FOR SPORLAN SOLENOID, 120 VOLT, 50/60 HZ
12A2105C17	1	COIL, J/E #G-23, 208/230V.,50/60
12A4170T01	1	THERMOMETER, WEKSLER, 2" DIAL, 4" STEM 25-125 DEG F.
12A4205G0601LF	1	3/4" STOP VALVE, LEAD FREE BRONZE
12A4181T15	12	TUBING, PLASTIC, CLEAR, 2-7/8" ID x 3-1/4" OD NSF <i>Circulating Water (Priced per ft.) (12ft. Lengths Only)</i>
12A4181T09	15	TUBING, PLASTIC, CLEAR, 2" ID x 3/16" THK <i>Overflow (Priced per ft.)</i>
12A4078C02	1	CURTAIN, P34 CRUSHED ICE
12A4020S03	1	SCOT PUMP, PMP-56, 3 HP, 230/380/460V-3P-50/60HZ <i>Cast Iron Housing</i>
12A2600R03	1	GASKET, 5-1/4" OD x 3-1/4" ID x 1/8" RED RUBBER, 3" FLANGE <i>For Scot Pump Suction</i>
12A4020G12	1	PUMP, GOULD SSH-C, 3 HP, 208-230/460V-3P-50/60HZ <i>Stainless Steel Housing, Bottom Flange Mount</i>
12A2600R09	2	GASKET, P24/P34 S.S. PUMP

P34A Series Parts List

Compressors/Components

Note: Original P34A compressors utilized direct drive motor couplings. The design changed early 1980's to belt driven. The first units were built with York RW84 compressors. Vilter 4 Mycom N6WB (current design) have also been used.

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A2110C0102	1	COMPRESSOR, MYCOM N6WB W/SS OIL COOLER
12A2030B04	2	BELT, 4 RIB 128" LONG #4C128
12A7509E01	1	MYCOM CRANKCASE HEATER, 300 WATT 230V-60HZ
12A4200L0411	1	RELIEF VALVE SET @ 275#, 1/2" MPT x 3/4" FPT
12A4170T01	1	THERMOMETER, WEKSLER, 2" DIAL, 4" STEM 25-125 DEG F.
12A4200A0607LF	1	VALVE, WATER, 3/4", LEAD FREE, GRANZOW, LESS COIL
12A2105C42K	1	ASSEMBLY, COIL, 230/240V GRANZOW
12A2105C41K	1	ASSEMBLY, COIL, 110/120V GRANZOW
12A4200E0602	1	WATER REGULATING VALVE, V47AC-6 3/4
12A2117A02	1	OIL PRESSURE SWITCH, AMMONIA, P28AN-1
12A2117D01	1	HI/LOW PRESSURE SWITCH
12A2590G14	1	GAGE , VILTER #1204E, 300 PSI, 1/4"
12A2590G15	1	OIL PRESSURE GAGE , VILTER #2047A , 2 1/2" DIAL 0-300
12A2590P01	2	GAGE STEADY-MOUNT #A17311SS
12A3025S15	1	OIL SEPARATOR, TEMPRITE #924 1-1/8"x1/4" SAE

Condenser

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A2600R34	2	P34A CONDENSER GASKET 1/8" RED RUBBER <i>Fits Vogt Manufactured Condensers only (1974-1993)</i>
12A4200L0405	2	RELIEF VALVE SET @ 275#, 1/2" IN x 1" OUT
12A4200M0401	1	3-WAY VALVE 1/2" F.P.T.
12A4200G0202	1	ANGLE VALVE, 1/4" MPT x 1/4" FPT

Receiver

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A2625G04	1	GAGE GLASS 1/2" X 38-1/8" LONG
12A2635G06	2	GAGE GLASS GUARD 60" LENGTH
12A4200J0405	1	UPPER GAGE COCK VALVE, STEEL
12A4200J0406	1	LOWER GAGE COCK VALVE, STEEL
12A3050C0301	2	PIPE NIPPLE, 1/2" X 1-1/2" LONG
12A4200L0405	2	RELIEF VALVE SET @ 275#, 1/2" IN x 1" OUT
12A4200M0401	1	3-WAY VALVE 1/2" F.P.T.

P34A Series Parts List

Liquid Line

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A4200C0802	1	EXPANSION VALVE, HANSEN 1" SOCKET WELD
12A4200A0801	1	VALVES, SOLENOID, HANSEN HS7A Replaces Alco M511 & Hansen HS8
12A4140S07	1	STRAINER, HANSEN 1", 60 MESH, W/DRAIN CONNECTION
12A2600F01		FLANGE GASKET FOR 3/4" & 1" 2-BOLT FLANGE
12A4200B0602	1	CHECK VALVE, HANSEN, 1-1/4" PORT WITH ADAPTOR RING
126229	1	COIL, HANSEN, 208/240V-50/60HZ
12A2105C08	1	COIL, HANSEN, 115V-50/60HZ (1/2" FITTING)
12A4199V52	1	REPAIR KIT FOR HANSEN HS7
12A7500E22	1	FLOAT SWITCH, HANSON #HLL (DIFFERENTIAL SET @ 1/2") Replaces Alco FS1A or RS Type LL
12A7500E24	1	SWITCH ASSEMBLY #HLL-SW FOR HANSON Also can be used on RS Type LL
12A7509E17		HEATER, HANSEN #HTR2 FOR 12A7500E22 FLOAT SWITCH Optional - Heater for Refrigerant Float Switch Assembly
12A2600F01	2	FLANGE GASKET FOR 3/4" & 1" 2-BOLT FLANGE

Thawing Gas Line

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A4200A1404	1	VALVES, HANSEN #HS4A, 2" INTERNAL PORT, 240V-60HZ Replaces Hubbell PHS, Alco FA5-18 & RS #A40AS
126229	1	COIL, HANSEN, 208/240V-50/60HZ
12A2105C08	1	COIL, HANSEN, 115V-50/60HZ (1/2" FITTING)
12A4140S18	1	STRAINER, HANSEN ST200 2"
12A4200B1403	1	CHECK VALVE, HANSEN 2" (9-7/8" LONG, FEMALE FLGS) Note: Henry & Hubbell check valves both obsolete

P34A Series Parts List

Valves-Flanges-Gaskets

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A4200G021		VALVES, 1/4" MPT x 1/4" FPT ANGLE
12A4200G0202		ANGLE VALVE, 1/4" MPT x 1/4" FPT
12A4200G0304		ANGLE VALVE, HANSEN 3/8" MPT X 3/8" FPT
12A4200G0402		ANGLE VALVE, 1/2" MPT x 1/2" FPT
12A4200G0407		VALVES, GLOBE, HANSEN 1/2" SOCKET WELD
12A4200G0603		ANGLE VALVE, 3/4" FPT x 3/4" FPT
12A4200G0804		VALVES, ANLGE, 1" SOCKET WELD
12A4200G1406		VALVE, 2" SOC WELD HANSEN GS20
12A4200G1407		VALVE, ANGLE, 2" BUTT WELD HAN
12A4200G1604		VALVE, 2 1/2" SOCKET WELD HANS
12A4200G1806		VALVES, GLOBE, STOP 3" WELD HANSEN
12A4200G2103		VALVES, GLOBE, STOP 4" B.W. HA
12A2538S0106		FLANGE SET, 3/4" FPT, HANSEN 2-BOLT
12A2538S0107		FLANGE SET, 1" FPT, HANSEN 2-BOLT
12A2530G0206		FLANGE, 2" HENRY GROOVE SOCKET WELD
12A2530T0206		FLANGE, 2" HENRY TONGUE SOCKET WELD
12A2535T0106		FLANGE ADAPTOR, 2" MALE TO MALE
12A2530G0208		FLANGE, 2-1/2" HENRY GROOVE SOCKET WELD
12A2530T0208		FLANGE, 2-1/2" HENRY TONGUE SOCKET WELD
12A2530G021		FLANGE, 3" HENRY GROOVE SOCKET WELD
12A2530T021		FLANGE, 3" HENRY TONGUE SOCKET WELD
12A2530G0212		FLANGE, 4" HENRY GROOVE SOCKET WELD
12A2530T0212		FLANGE, 4" HENRY TONGUE SOCKET WELD
12A2600F01		FLANGE GASKET FOR 3/4" & 1" 2-BOLT FLANGE
12A2600F04		GASKET, 2" HENRY
12A2600F05		GASKET, 2-1/2" HENRY
12A2600F06		GASKET, 3" HENRY
12A2600F08		GASKET, 4" HENRY

Pressure Line & Fittings

<u>Part Number</u>	<u>Req'd</u>	<u>Description</u>
12A4182S03		TUBING, 1/4" OD TYPE 304 STAINLESS (PRICED PER FT)
12A2452M02		CONNECTOR, MALE, 1/4" MPT x 1/4" TUBING
12A2452F01		CONNECTOR, FEMALE 1/4" FPT x 1/4" TUBING
12A2452E01		ELL, 90 DEG 1/4" MPT X 1/4" TUBING
12A2452T01		TEE, UNION, 1/4" x 1/4" x 1/4" TUBING
12A2452T02		TEE, 1/4" TUBING x 1/4" TUBING x 1/4" MPT
12A2100C0303		CLAMPS, 1/4" OD TUBING