Note: The P118F (A-Series) began production in early 1987 with Furnas control panel compc mid-1993, Vogt introduced the "B-Series" P118F which utilitzed an expansion valve instead of side float and the control panel was changed to include Cutler-Hammer components wi replaced by Allen Bradley components in 1999. The "C-Series" P118F (05TA) began producti 1997. The 05TA uses a Copeland Discus compressor. The parts list for the "C-Series" i "05TA"

Control Panel Components

<u>Part Number</u>	<u>Req'd</u>	Description
12A7500E08	2	SWITCH, TOGGLE, STEMCO #1145,
		"Ice/Clean" toggle switch or "On/Off" toggle switch
T03503090300	2	A/B PUSH BUTTON,BLACK, FLUSH, MOMENTARY SWITCH
		Replaces Green Start Switch & Red Stop Switch, requires contact blocks listed below
12A7518E47	1	A/B CONTACT BLOCK,1NC,SHALLOW MOUNT Secondary contact for "Start" push-button switch
03503099800	1	CONTACT BLOCK,1NO,SHALLOW MOUNT Secondary contact for "Start" & "Stop"push-button switch
12A7503E22	1	THAW TIMER, 8 PIN PLUG-IN, 100-240V., 50/60HZ Replaces all other timers (base needed for replacement if not replacing an 8 Pin Plug-in Timer)
12A7503E39	1	TIMER BASE, 8 PIN, GUARDED TERMINAL
12B7503E18	1	ELAPSED TIME INDICATOR, 230V, 60HZ PANEL MOUNT
12B7503E17	1	ELAPSED TIME INDICATOR, 220V, 50HZ PANEL MOUNT
12A7502E07	2	FUSE HOLDER,LITTEL FUSE SHOCK
12A7504E1	2	CONTROL CIRCUIT FUSE, 2.5 AMP (ORDER MULTIPLES OF 5)
12A7516E43	1	A/B CONTACTOR, 9-AMP, 4-POLE, 208/240V W/2-NO,2-NC "CR" Relay, replaces Furnas 12A7517E15 & C/H 12A7517E18
12A7516E23	1	A/B CONTACTOR, 9-AMP, 3-POLE, 208/240V W/1-NO AUX Power Failure/Bin Control Relay, repl. Furnas 12A7516E01 & C/H 12A7516E09
12A2117G01	1	A/B THERMOSTAT, 15FT Optional
12A2117G09	1	ELECTRONIC BIN THERMOSTAT Optional
12A2117G0901	1	REPLACEMENT ELECTRONIC THERMOSTAT PROBE Optional
12A2117E04	1	FREEZER PRESSURE SWITCH-R22/R404a
12A7516E29	1	A/B CONTACTOR, 43-AMP, 3-POLE, 208/240V W/1-NO AUX Compressor Motor Contactor, for 10 HP Carlyle Compressor requires 2 Auxiliary Contacts and Overload Relay listed below
12A7518E30	1	A/B AUX. CONTACT, 3A, 1 NO/1 NC, (SIDE MOUNT)
12A7518E31	1	A/B AUX. CONTACT, 3A, 2 NO, (SIDE MOUNT)
12A7538E03	1	SOLID STATE OVERLOAD RELAY, 9 - 45 AMP Compressor Overload Relay for 10 HP Carlyle Compressor
12A7516E30	1	A/B CONTACTOR, 72AMP, 3-POLE, 208/240V COIL Compressor Motor Contactor for 15 HP Carlyle Compressor used on 50HZ units, requires 2 Auxiliary Contacts and Overload Relay listed below
12A7518E30	1	A/B AUX. CONTACT, 3A, 1 NO/1 NC, (SIDE MOUNT)

Control Panel Components (Con'd)

Part Number	<u>Req'd</u>	Description
12A7518E31	1	A/B AUX. CONTACT, 3A, 2 NO, (SIDE MOUNT)
12A7538E04	1	SOLID STATE OVERLOAD RELAY, 18 - 90 AMP Compressor Overload Relay for 15 HP Carlyle Compressor
12A7516E24	2	A/B CONTACTOR, 12-AMP, 3 POLE, 208/240V W/1-NO AUX Cutter and Water Pump Contactor (replaces Furnace & C/H) Requires Overload Relays listed below
12A7538E11	1	OVERLOAD RELAY, 1-5AMP SOLID STATE Cutter Overload for 208/230v or Pump Overload for 460v
12A7538E12	1	OVERLOAD RELAY, 3.2-16AMP SOLID STATE <i>Pump Overload for 208/230v</i>
12A7517E13	1	A/B OVERLOAD RELAY, 1.0-1.6.0 AMP <i>Cutter Overload for 460v</i>
12A7516E26	1	A/B CONTACTOR, 23-AMP, 3-POLE, 208/240V W/1-NC AUX Condenser Fan Contactor (Air-cooled only) Replaces Furnas 12A7516E06 and C/H 12A7516E1
12A7504E12	3	FUSE 10AMP 600V DELAY, CLASS CC, REJECT TYPE Secondary Pump/Cutter Fuse (230v.,50/60hz) Air-Cooled Fan Motor Fuse (460/400v.,50/60hz)
12A7504E13	3	FUSE 6AMP 600V DELAY, CLASS CC, REJECT TYPE Secondary Pump/Cutter Fuse (460/400v.,50/60hz)
12A7504E16	3	FUSE 15AMP 600V DELAY, CLASS CC, REJECT TYPE Air-Cooled Fan Motor Fuse (230v.,50/60hz)
12D2590G08	1	GAGE, 2.5" LQD FILLED, 30"-150 <i>Freezer Pressure Gage</i>
12D2590G09	1	GAGE, 2.5" LQD FILLED, 30"-400 Condenser Pressure Gage

Additional Electrical Components

<u>Part Number</u>	<u>Req'd</u>	Description
12A2117B03	1	THAWING GAS PRESSURE SWITCH
12A2117D01	1	HI/LOW PRESSURE SWITCH
12A2117A01	1	OIL PRESSURE SWITCH, 60SEC DELAY
12A2117F05	1	CONDENSER FAN CONTROL SWITCH
12A7519E31	1	TRANSFORMER, HEVI-DUTY 1KVA 240/480-120/240 60HZ For 60HZ Machines
12A7519E24	1	TRANSFORMER, HEVI-DUTY, 1KVA, 380/400/50 HZ, For 50HZ Machines

Freezer Components

<u>Part Number</u>	<u>Req'd</u>	Description
12B2185N11	156	1" WATER DISTRIBUTOR SANOPRENE NO VENT
12B2185N21	102	1-1/4" WATER DISTRIBUTOR SANOPRENE NO VENT
12B2185N31	72	1-1/2" WATER DISTRIBUTOR SANOPRENE NO VENT
12A2600G07	1	FREEZER COVER GASKET 18-1/8" OD X 16-3/4" ID X 3/16"
12A2222H1123	8	STUD BOLT, 3/8"-16NC X4 1/4"LG
12A2250A12	8	WASHER, CUT 3/8" x 1" O.D. SS
12A2240H4109	8	NUT, WING, BRASS, 3/8"-16NC
12A4009R01		PLUG, RUBBER 7/8" OD X 2" LG FOR 1" TUBES
12A2215H1116	1	CAP SCREW, 3/8"-16NC X 2-1/4" LONG (Use this bolt for 1" tubes)
12A2250A109	2	WASHER, CUT 3/8" x 7/8" O.D. SS (Use this washer for 1" tubes)
12A4009R02		PLUG, RUBBER 1"OD X 2 1/2"LG FOR 1-1/4" TUBES
12A4009R03		PLUG, RUBBER 1 1/4"OD X 2 1/2" FOR 1-1/2" TUBES
12A2215H1119	1	CAP SCREW, 3/8"-16NC X 3" LONG (Use this bolt for 1-1/4" or 1-1/2" tubes)
12A2250A12	2	WASHER, CUT 3/8" x 1" O.D. SS (Use this washer for 1-1/4" or 1-1/2" tubes)
12A2240A1109	1	NUT, HEX 3/8"-16NC S.S.
12A4200L0404	1	RELIEF VALVE SET @ 275#, 1/2" MPT x 5/8" SAE
12A4200G0301	1	CHARGING VALVE, 3/8 MPT X 1/2 SAE FLARE
12A2451R01	1	REDUCER WITH GASKET 1/2" SAE X 1/4" SAE
12A4200G0201	1	VALVES, 1/4" MPT X 1/4" SAE <i>Freezer Pressure Stop Valve</i>
12A4200R0702	1	ROTA-LOCK VALVE VERTICAL 7/8" ID SWT x 1-1/4-12 THREAD Liquid Line Inlet Valve
12A2600T01	1	ROTA-LOCK PRIMORE TEFLON SEAL FOR 1-1/4-12 THREAD

Compressors & Accessories

SEMI-HERMETIC COMPRESSOR WARRANTY

SEMI-HERMETIC COMPRESSORS ARE SOLD WITH A ONE YEAR FACTORY WARRANTY FRO OF SHIPMENT THAT COVERS MANUFACTURING DEFECTS ON THE COMPRESSOR. FAILUR RESULT OF OPERATIONAL ISSUES WILL NOT BE COVERED UNDER WARRANTY. WARR COMPRESSOR REPLACEMENT WILL BE LIMITED TO ONE PER UNIT. PLEASE CONTACT VOG DEPARTMENT FOR COMPLETE COMPRESSOR WARRANTY DETAILS.

<u>Part Number</u>	<u>Req'd</u>	Description
12A2110A52	1	CARLYLE SEMI-HERMETIC COMP-7.5HP 208/230V-3P-60HZ P118F-1 1/2" Units built before 1993 with round water tank
12A2110A62	1	CARLYLE SEMI-HERMETIC COMP10HP 208/230V-3P-60HZ Used with all 60hz units with square water tanks
12A2110A64	1	CARLYLE SEMI-HERMETIC COMP10HP 400/460V-3P-50/60HZ Used on 60hz units with square water tanks & 50hz round
12A2110A7	1	CARLYLE SEMI-HERM COMP15HP 208/230/460V-3P-50/60HZ Used on 50hz units with square water tanks
12A2110P0201	3	COMPRESSOR VALVE PLATE PKG FOR CARLYLE O6D Used on Carlyle 7.5hp & 10hp Compressors
12A2110P0204	2	COMPRESSOR VALVE PLATE PKG FOR CARLYLE O6E Used on Carlyle 15hp Compressors
12A7509E02	1	CRANKCASE HEATER 180 WATT, INSERTION
12A7509F01	1	RETAINER RING FOR INSERTION HEATER
12A7509F02	1	THERMAL GREASE PACKET
12A7523E11	3	OVERLOAD KLIXON 8348B19-11 Used on 10hp for 208/230v.
12A7523E03	2	OVERLOAD KLIXON 8347A23-63 Used on 10hp for 460v.
12A2117A01	1	OIL PRESSURE SWITCH, 60SEC DELAY
12A4200S13	1	CARLYLE SERVICE VALVE, 1-5/8" ODS Suction Service Valve for 7.5hp & 10hp Carlyle Compressor
12A4200S15	1	CARLYLE SERVICE VALVE, 2-1/8" ODS Suction Service Valve for 15hp Carlyle Compressor
12A4200S09	1	CARLYLE SERVICE VALVE, 1-1/8" ODS Discharge Service Valve for all units
126611	1	CARLYLE SERVICE VALVE GASKET Suction Service Valve Gasket for 1-5/8" (7.5hp & 10hp)
12A2110P0228	1	CARLYLE SERVICE VALVE GASKET Suction Service Valve Gasket for 2-1/8" (15hp)
12661	1	CARLYLE SERVICE VALVE GASKET Discharge Service Valve Gasket for 1-1/8"
126608	1	GASKET SET FOR CARLYLE 06D COMPRESSOR 7.5hp and 10hp Units
126608ER	1	GASKET SET FOR CARLYLE 06E COMPRESSOR 15hp Units
12A2110P0215	1	CARLYLE COMPRESSOR PUMP END BEARING HEAD ASSY 7.5hp and 10hp Units
12A2110P0212	1	COMPRESSOR, PUMP END BEARING HEAD ASSY FOR 06E 15hp Units

Cutter Drive Parts

<u>Part Number</u>	<u>Req'd</u>	Description
12A2900M0508	1	CUTTER MOTOR, 1/2HP 208/230/460V-3P-50/60HZ Used on all units with square water tanks
12A2900M0507	1	CUTTER MOTOR, 1/2HP 208/230V-1P-50/60HZ Used on 1-1/2" units with round water tanks
12A4030R12	1	GEAR REDUCER, GROVE 10:1 WASHDOWN W/VENT
12A4080S25	1	SEAL KIT FOR GROVE REDUCER 12A4030R12
19T1501S29	1	MID-SIZE GEAR REDUCER MOUNTING PLATE ASSEMBLY
19T2615D01	1	CUTTER DRIVE GEAR TI-59 W/O HUB
19T2615R02	1	P118F FINISHED RING GEAR, ALUMINUM-BRONZE
12A3040S02	1	CUTTER BEARING ROLL PIN 3/16" X 1/2"
12A2160H0101	1	CUTTER DRIVE GEAR HUB 5/8" BORE
12A2215F1112	3	CAP SCREW, 1/4"-20NC X 1 1/4"Long SS Gear Hub Mounting Screws
12A2250B107	3	WASHER, LOCK 1/4" SS (300 SERIES)

Cutter Internals

Part Number	<u>Req'd</u>	Description
19T2160C0202	1	(P18/118) SS CAST CUTTER ASSEMBLY FOR CYL ICE Specify tube size
126413B	1	CUTTER ASSEMBLY - P118F SQ BOTTOM TANK CRUSHED Used for Crushed Ice Operation
12A4000M01	1	(P118) CRUSHED ICE WATER TANK SCREEN
19T4090S02	1	CUTTER SHAFT FOR P118F FABRICATED CUTTER
12B2020R01	1	UHMW CUTTER BEARING FOR M1500 thru P418F
12A3040S02	1	CUTTER BEARING ROLL PIN 3/16" X 1/2"
19T2025B0101	1	BEARING BRACKET FOR 18" CUTTER
19T2163D0202	1	CUTTER DISC, STAINLESS STEEL FOR 18" CUTTER
19T4001S023	1	MID-SIZE ICE DEFLECTOR PLATE SS
12A3040S01	1	CUTTER DISC ROLL PIN, 1/4" X 1 1/2"
19T4073R07	1	CUTTER DISC ROLL PIN TOOL
12A2090C02	1	ICE CHUTE FOR P118F (R-22)

Water Tank & Circulating Water

Part Number	<u>Req'd</u>	Description
12A2600G05	1	WATER TANK GASKET 22" OD x 19" ID x 3/16"
12A4200H0201	2	FLOAT VALVE, 1/4" ROBERTS #RM150-10 (Used on P118F-1 1/2" Units with round water tanks)
12A4200H0801	1	FLOAT VALVE, HUDSON 1" FPT Used on P118F-1" & 1-1/4" Units thru 9/91
12A4200H0401	2	FLOAT VALVE W/BALL & STEM, 1/2" ROBERTS Replaced the Hudson float for all square bottom tanks
12A4200H0402	1	FLOAT VALVE, 1/2" MPT ROBERTS FLOAT <i>Replaced the 2-Roberts RM214 above in 1993</i>
12A4200H0402PS	1	VALVES, STEM, STAINLESS STEEL 6" LONG, 1/4" THREAD Used with the 12A4200H0402 valve
12A4200H0402PF	1	VALVES, FLOAT 4" X 5", 1/4"-20 THREAD, NSF APPROVED Used with the 12A4200H0402 valve
12A2451U14	1	UNION, WC, 1/2" MPT X 5/8" SAE
12A4020G25	1	PUMP, GOULD NPE, 3/4 HP, 1750 Used on P118F-1 1/2" Units with Round Bottom Water Tank Replaces American Products Pump 50HZ or 60HZ
12A4020Z19	1	KIT, PARTS FOR 3/4HP GOULD PUMP <i>Kit for replacing A/P Pump on units W/Round Bottom Tank</i>
12A4020G01	1	PUMP, GOULD NPE 3ST, 1.5 HP, 208/230/460-3-50/60 3-5/8" IMP Used on All Units with square bottom water tank (Replaces Jacuzzi & Multi-Duti Pumps)
12A4080S12	1	SEAL, PUMP FOR GOULD NPE 3ST 1-1/2 HP
12A4181T09	7	TUBING, PLASTIC, CLEAR, 2" ID x 3/16" THK <i>Circulating Water - square bottom tanks (priced per ft)</i>
12A4181T02	7	TUBING, TYGON B-44-3, 1-1/8" OD x 7/8" ID Overflow - square bottom tanks (priced per ft)
12A4181T06	7	TUBING, TYGON B-44-3, 1-1/2" OD x 1-1/4" ID <i>Circulating Water - round bottom tanks (price per ft)</i>
12A4181T08	3	TUBING, TYGON B-44-3, 3/8" OD x 1/4" ID <i>Blowdown</i>
12A4181T02	2	TUBING, TYGON B-44-3, 1-1/8" OD x 7/8" ID <i>Water Tank Drain</i>
12A2100C0201	4	CLAMPS, SS HOSE, 13/16" x 1 3/4"
12A2100C0202	4	CLAMPS, SS HOSE, 1-13/16" x 2-3/4"
12A4200G0101	1	PET COCK VALVE, 1/8" MPT x 1/4" HOSE

Water-Cooled Condenser

Note: P118F Water Cooled Units came with a Standard KH10X condenser that i longer available. The Bitzer Condenser listed below will work in place of the ex condenser, due to size and shape differences mounting, piping and condenser location will be the responsibility of the installer (A drawing of the Bitzer Conde available upon request)

<u>Part Number</u>	<u>Req'd</u>	Description
12A2115S0103	1	CONDENSER, BITZER, USED ON 05TA (P118)
12A3050C0301	1	PIPE NIPPLE, 1/2" X 1-1/2" LONG
12A2516H0005	1	BUSHING PIPE 1/2"MPT X 1/4" FPT
12A2502T0204	1	TEE 1/2" FPT, 2000#
12A4200L0408	1	RELIEF VALVE SET @ 400#, 1/2" MPT x 5/8" SAE
12A4200G0201	1	VALVES, 1/4" MPT X 1/4" SAE
12A4200E1001	1	WATER REGULATING VALVE, 1-1/4" FPT
12A2249L6	1	BUSHING, GALV. 2"MPT X 1-1/4"
12A3050G0601	2	PIPE NIPPLE, 1 1/4 X 2 GALV
12A2449M08	1	NUT, UNION, GALVANIZED, 11/4" FPT
12A2230J2135	2	U-BOLT, 5/8-11 FOR 8" PIPE
12A2250B113	4	WASHER, LOCK 5/8" SS (300 SERIES)
12A2240A1113	4	NUT, HEX 5/8"-11NC S.S
12A2600B06	1	CONDENSER GASKET, BITZER, FRONT (INLET) 05TA
12A2600B07	1	CONDENSER GASKET, BITZER, REAR (OUTLET) FOR 05TA
1265961	1	GASKET SET-K10X, KH10X, QC3X & QC5X "STANDARD" COND.
12A2055B01	1	CONDENSER CLEANING TOOL, ADJUSTABLE 3/8" x 1/2" ID

Air-Cooled Condenser

Note: The Kramer A/C condenser Vogt furnished with the P118F units unavailable in 2010. At that time Vogt switched to the Bohn A/C Condense different in size and fan configuration the Bohn Condenser is designed to w Vogt equipment. Please note condenser type when ordering fan motors or they are manufacturer specific.

<u>Part Number</u>	<u>Req'd</u>	Description
12A2115B09	1	CONDENSER, BOHN # BNHS02A015(8), 208/230-3P-50/60HZ 60hz Units with 10HP Compressor
12A2115B10	1	CONDENSER, BOHN # BNHS02A015(12), 208/230-3P-50/60HZ 50hz Units with 15HP Compressor
12A2115B07	1	CONDENSER, BOHN # BNHS02A011, 208/230-3P-50/60HZ 60hz Units with 7.5HP Compressor
12A2115B08	1	CONDENSER, BOHN # BNHS02A011(12), 208/230-3P-50/60HZ 50hz Units with 10HP Compressor
12A2900M0709	1	CONDENSER FAN MOTOR, 1 1/2HP, 208-230V, 3P, 50/60HZ For Bohn Condenser
12A2115P10		CONDENSER FAN BLADE, 30" For Bohn Condenser
12A2900M0505	1	CONDENSER FAN MOTOR, 1/2HP 208/230/460-3-50/60 For Kramer Condenser
12A2115P0401	<u>1</u>	CONDENSER, FAN BLADE, 24" For Kramer Condenser

Air-Cooled Condenser (Con'd)

Part Number	<u>Req'd</u>	Description
12A7516E26	1	A/B CONTACTOR, 23-AMP, 3-POLE, 208/240V W/1-NC AUX Condenser Fan Contactor (Air-cooled only) Replaces Furnas 12A7516E06 and C/H 12A7516E1
12A2117G09		ELECTRONIC BIN THERMOSTAT (Control T-stat for Bohn condensers) (Used for fan control or motor control - wiring diagram available)
12A2117G05		CONTROL, THERMOSTAT, PENN #A19 For Kramer A/C Condenser
12A2117F05	1	CONDENSER FAN CONTROL SWITCH
12A4200B0901	1	CHECK VALVE, MAGNETIC CHECK, 1 1/8"
12A4200A11021	1	VALVES, SOLENOID, SPORLAN 1 3/8"ODS, NORMALLY-OPEN, W/(N.O. SOLENOID VALVE FOR A/C CONDENSER
12A2105C25		COIL, SPORLAN, OMKC-1,120/208-240V, 50/60HZ (N/O VALVE)
12A4199V55	1	REPAIR KIT SPORLAN OE35S N.O. SOLENOID VALVE

Receiver

<u>Part Number</u>	<u>Req'd</u>	Description
12A2625G06	1	GAGE GLASS 1/2" X 15-1/8" LONG For Brass Gage Cock Valves with 18" Centers
12A2635G02	1	GAGE GLASS, GUARD SET 14" LG For Brass Gage Cock Valves with 18" Centers
12A2625G08	1	GAGE GLASS 1/2" X 18 7/8" LONG For Brass Gage Cock Valves with 21-5/8" Centers
12A2625G10	1	GAGE GLASS, 1/2" X 20" LONG <i>For Steel Gage Cock Valves</i>
12A2635G07	1	GAGE GLASS GUARD SET, 17 5/8" For All Gage Cock Valves with 21-5/8" Centers
12A4199V26	2	GAGE GLASS PACKING O-RING FOR 1/2" DIAMETER
12A4200J0405	1	UPPER GAGE COCK VALVE, STEEL <i>Replaced Brass Valve - May 1999</i>
12A4200J0406	1	LOWER GAGE COCK VALVE, STEEL Replaced Brass Valve - May 1999
12A3050C0301	2	PIPE NIPPLE, 1/2" X 1-1/2" LONG
12A4200G0201	2	VALVES, 1/4" MPT X 1/4" SAE Receiver Drain & Pressure Test Valve
12A4200L0402	1	RELIEF VALVE SET @ 350#, 1/2" MPT x 5/8" SAE
12A4200R0701	1	ROTA-LOCK VALVE HORIZ. 7/8" ID SWT x 1-1/4-12 THREAD <i>Liquid Return Valve</i>
12A4200R0702	1	ROTA-LOCK VALVE VERTICAL 7/8" ID SWT x 1-1/4-12 THREAD <i>Liquid Outlet Valve (King Valve)</i>
12A2600T01	2	ROTA-LOCK PRIMORE TEFLON SEAL FOR 1-1/4-12 THREAD
12A7500E22	1	FLOAT SWITCH, HANSON #HLL (DIFFERENTIAL SET @ 1/2") (Float Switch elliminated in 1991-replaced with TXV)
12A7500E24	1	SWITCH ASSEMBLY #HLL-SW FOR HANSON

Discharge Line & Oil Return

<u>Part Number</u>	<u>Req'd</u>	Description
12A3025S07	1	OIL SEPARATOR ACR, 1-1/8"
		Replaces Temprite 904
12A2451R02	1	FLARE ADAPTOR, 3/8" (F) SAE x 1/4" (M) SAE
12A4200G0204	1	VALVES, 214-4S 1/4ODC SUPERIOR
		Oil Return Stop Valve
12A4200A09041	1	SOLENOID VALVE, SPORLAN 1-1/8" W/COIL
		(X-Valve) Air-Cooled Only (Extended Ends)
12A4199V56	1	REPAIR KIT FOR SPORLAN ME35S VALVE
12A4199V1	1	REPAIR KIT #76755 FOR JE #RB41MS9 VALVE
126232RB	1	COIL #R-23MM W/HOUSING 208/240 for JACKES-EVANS
12A2975M04	1	MUFFLER ACR #S-6411, 1-1/8" ODC
12A4200G0901	1	VALVES, ANGLE, 1-1/8" ODC
		Discharge Line Stop Valve (Air-Cooled Only)
12D2590G09	1	GAGE, 2.5" LQD FILLED, 30"-400
		Discharge Pressure Gage

Suction/Liquid Line

<u>Part Number</u>	<u>Req'd</u>	Description
12A2000A07	1	ACCUMULATOR, SUCTION W/INTERNAL HEAT-X
12A4200A0401	1	SOLENOID VALVE, ALCO 1/2" ODC, 5-16" PORT, LESS COIL <i>Liquid Line Solenoid (A-Valve)</i>
12A2105C01	1	COIL, ALCO AMG, 208/240V-50/60HZ
12A4200C0403	1	VALVES, EXPANSION, SPORLAN 1/2"IN X 7/8" OUT, R-22 (Replaced the High-Side Float in 1991)
12A2195D03	1	DRIER, #EK-415 5/8" SAE FLARE
12A4140S01	1	STRAINER, #891S-5/8S, 5/8" ODS
12A4200R0702	2	ROTA-LOCK VALVE VERTICAL 7/8" ID SWT x 1-1/4-12 THREAD Liquid Inlet Valve & King Valve
12A2600T01	2	ROTA-LOCK PRIMORE TEFLON SEAL FOR 1-1/4-12 THREAD
12D2590G08	1	GAGE, 2.5" LQD FILLED, 30"-150 <i>Suction Pressure Gage</i>
12A118TXV	1	P118F/218F EXPANSION VALVE CONVERSION KIT

Thawing Gas Line

<u>Part Number</u>	<u>Req'd</u>	Description
12A4200A11031	1	VALVES, SOLENOID, SPORLAN 1 5/8" OD, LESS COIL Thawing Gas Solenoid Valve (D) (Replaced 1-3/8" 04/2012)
		(Replaces Alco 240RA) Requires Coil part # 12A2105C26
12A2405W0018	2	BUSHING, WC, FLUSH, 1 5/8" ODF
		Must use with 12A4200A1103 Solenoid Valve (04/2012)
12A2105C26	1	COIL, SPORLAN, MKC-1 120/208-240V, 50/60HZ (N/C VALVE)
12A4199V62	1	REPAIR KIT, FOR SPORLAN 1 5/8" N.C. SOLENOID VALVE
12A4199V28	1	REPAIR KIT FOR SPORLAN 1 3/8" ME VALVE
12A2105C16	1	COIL, #MKC-2 FOR SPORLAN 208/240V-50/60HZ
12A4200G1101	1	VALVES, ANGLE, SUPERIOR 1-3/8" ODC Thawing Gas Stop Valve
12A4199V12	1	REPAIR KIT #KS30325 FOR ALCO 240RA
12A2105C01	1	COIL, ALCO AMG, 208/240V-50/60HZ <i>For Alco 240RA</i>
12A2117B03	1	THAWING GAS PRESSURE SWITCH